# The Corporation of the Town of Essex By-Law Number 2332

Being a by-law to Amend By-Law Number 1037
The Comprehensive Zoning By-law for the Town
of Essex

**WHEREAS** By-Law Number 1037 is the Town's Comprehensive Zoning By-Law regulating the use of lands and the character, location and use of buildings and structures within the Town of Essex;

**AND WHEREAS** the Council of the Corporation of the Town of Essex deems it expedient and in the best interest of proper planning to amend By-Law Number 1037;

**NOW THEREFOERE** be it resolved that the Council of The Corporation of the Town of Essex hereby enacts as follows:

1. **That** Section 7, Definitions, of Bylaw 1037, is hereby amended by adding the following definitions:

between the definitions "Accessory Use" and "Adult Entertainment Use":

"Additional Dwelling Unit" means a dwelling unit constructed as an independent and separate housekeeping unit having kitchen, living, sleeping and sanitary facilities within:

- i. a Single Unit Dwelling, Two Unit Dwelling, Semi-Detached Dwelling Unit, or Townhome Dwelling Unit; or
- ii. a detached building accessory or ancillary to a Single Unit or Two Unit Dwelling or Semi-Detached or Townhome Dwelling Unit.

between the definitions "Animal Unit" and "Attached":

"Area of Settlement" means those lands located within a Settlement Area Boundary as defined on Schedule A of this Bylaw, and serviced by municipal sewage works and a municipal drinking water system.

between the definitions "Roadside Stand" and "School":

"Single Unit Dwelling" means a building having as a main use one (1) dwelling unit.

between the definitions "Semi-Detached Dwelling" and "Sensitive land Use":

"Semi-Detached Dwelling Unit" means one unit of a Semi-Detached Dwelling.

between the definitions "Theatre" and "Through Lot":

By-Law Number 2332 Page 1 of 10

"Three Unit Dwelling" means a building, other than a Townhome Dwelling, situated on one lot and having as the main use three (3) dwelling units separated vertically or horizontally.

between the definitions "Townhome Dwelling" and "Township Road":

"Townhome Dwelling Unit" means one unit of a Townhome Dwelling.

between the definitions "Transfer Station" and "Urban Centre":

"Two Unit Dwelling" means a building, other than a Semi-Detached Dwelling, situated on one lot and having as the main use two (2) dwelling units separated vertically or horizontally.

2. **That** Section 7, Definitions, of Bylaw 1037 is further amended by removing and replacing the following definitions:

"Multiple Dwelling" is removed and replaced with the following definition:

"Multi-Unit Dwelling" means a building, other than a townhome dwelling, containing a minimum of four (4) dwelling units in which all dwelling units are located on one lot.

"Semi-Detached Dwelling" is removed and replaced with the following definition:

"Semi-Detached Dwelling" means a building separated vertically into two (2) dwelling units attached by a common interior wall. Each dwelling unit shall have a separate entrance at street level and each dwelling unit shall be on a separate lot.

"Townhome Dwelling" is removed and replaced with the following definition:

"Townhome Dwelling" means one (1) building separated vertically into three (3) or more dwelling units attached by common interior walls. Each dwelling unit shall have a separate entrance at street level and each dwelling unit shall be on a separate lot.

- 3. **That** Section 7, Definitions, of Bylaw 1037, is further amended by removing the following definitions and any references thereto:
  - "Duplex Dwelling"
  - "Second Dwelling Unit"
  - "Single Detached Dwelling"
- 4. **That** all references to a "Single Detached Dwelling" and "Multiple Dwelling", in Bylaw 1037 be replaced with "Single Unit Dwelling" and "Multi-Unit Dwelling", respectively.
- 5. **That** Section 8.4, of Bylaw 1037, is hereby amended by removing paragraph 8.4 (a) (iii).
- 6. **That** Section 8.15, of Bylaw 1037, is hereby repealed and replaced by the following:

### 8.15 Additional Dwelling Units

By-Law Number 2332 Page 2 of 10

- a) On a lot in an Agricultural District or Residential District located outside of an Area of Settlement, not including a Residential District permitting exclusively mobile homes or dwellings for three (3) season occupancy, one (1) Additional Dwelling Unit within a Single Unit Dwelling or within a detached building accessory or ancillary to a Single Unit Dwelling shall be permitted.
- b) On a lot located within a Residential District within an Area of Settlement and serviced by municipally owned sewage works and a municipal drinking water system, not including a Residential District permitting exclusively mobile homes or dwellings for three (3) season occupancy:
  - a. two (2) Additional Dwelling Units within a Single Unit dwelling or one (1)

    Additional Dwelling Unit within a detached accessory or ancillary building when the main dwelling contains no more than (2) dwelling units;
  - b. One (1) Additional Dwelling Unit within a Two Unit Dwelling or one (1)
     Additional Dwelling Unit within a detached accessory or ancillary building when the Two Unit Dwelling contains no more than two (2) dwelling units;
  - c. Two (2) Additional Dwelling Units within a Semi-Detached Dwelling Unit or Townhome Dwelling Unit or one (1) Additional Dwelling Unit within a detached accessory or ancillary building when the Semi-Detached Dwelling Unit or Townhome Dwelling Unit contains no more than two (2) Dwelling Units;
  - d. For the purposes of this subsection, where a lot contains a dwelling and an Additional Dwelling Unit is proposed within a detached accessory or ancillary residential building, the dwelling existing on the lot prior to the construction of the Additional Dwelling Unit shall be considered the main dwelling.

## c) General Provisions:

- The lot has frontage on a street and is serviced by a municipal sanitary sewer of sufficient capacity or an approved septic system of sufficient capacity, an approved storm water outlet and a potable water supply;
- ii) Only one (1) water and sanitary service connection will be permitted per lot to service the main dwelling and Additional Dwelling Unit when available services are municipally owned and operated. A separate service connection for the Additional Dwelling Unit will not be permitted in an Area of Settlement. In an Area of Settlement, an Additional Dwelling Unit with access to municipally owned and operated water and sanitary services will not be permitted to connect to any existing on-site private septic facilities or water systems;

By-Law Number 2332 Page 3 of 10

- iii) One (1) onsite parking space is provided for each dwelling unit;
- iv) The main dwelling and the lot on which it is located conform to all regulations of the Zoning District applicable to them;
- v) For an Additional Dwelling Unit located in an accessory or ancillary residential building, the Gross Floor Area (GFA) of the Additional Dwelling Unit shall not exceed that of the largest dwelling unit in the main building;
- vi) A detached Additional Dwelling Unit may contain an attached garage if the total Gross Floor Area (GFA) of the Additional Dwelling Unit with attached garage does not exceed the GFA of that of the largest dwelling unit in the main building;
- vii) Notwithstanding any other provisions of this By-law, an Additional Dwelling
  Unit within a detached accessory or ancillary building within an Area of
  Settlement shall not be permitted above the ground floor;
- viii) The maximum height of an Additional Dwelling Unit in a detached accessory or ancillary building in an Area of Settlement shall be one (1) storey and the maximum height of a storey shall be 4m (13ft);
- ix) Notwithstanding other provisions in this by-law to the contrary, an Additional Dwelling Unit within a detached accessory or ancillary building shall not have a ceiling height or make provision for a ceiling height greater than 1.8m (71 inches) within the area enclosed by the roof from the bottom of the eaves to the supporting structure or substructure next above;
- x) No Additional Dwelling Unit located within a detached accessory or ancillary building shall be permitted within 1.8 m (6 feet) of any other building located on the same lot;
- xi) An Additional Dwelling Unit located in a detached accessory or ancillary building shall be permitted in a front yard, except in a required front yard, and in a rear yard and or side yard, except in a required rear yard or required side yard;
- xii) Where an Additional Dwelling Unit within a detached accessory or ancillary building will contain an attached garage, the minimum setback for a building wall with a vehicle entrance facing an exterior lot line shall be 6m (20f);
- xiii) An Additional Dwelling Unit located in a detached accessory or ancillary building shall have access to the street as prescribed under the Ontario Building Code;
- xiv) An additional dwelling unit shall not be used as a short term rental unit.

#### 7. **That** Section 10.3, of Bylaw 1037, is hereby deleted and replaced with the following::

## 10.3 Accessory Buildings

By-Law Number 2332 Page 4 of 10

- a) On a through lot, an accessory building shall have a minimum setback from the rear lot line equal to the minimum front yard depth required for a main building on the lot.
- b) An accessory building or part thereof is not permitted within 1.8m (6f) of any other building located on the same lot.
- c) A detached garage, detached carport or other accessory building is permitted in a front yard, except in a required front yard, and in a rear yard and or side yard, provided that the following minimum building setbacks from the side and rear lot lines are maintained:
  - i) 1.2m (4f) from an interior rear lot line or an interior side lot line.
  - ii) 1.2m from an exterior rear lot line or exterior side lot line, except that, where a building wall has a vehicle entrance facing the exterior lot line, the minimum setback shall be 6m (20f); however,
- d) Notwithstanding the zoning district provisions respecting accessory building lot coverage, in a Residential District, on a lot having a lot area of less than 370.5m2 (4000f2), the total permitted lot coverage for all accessory buildings on the lot is 37m2 (400f2).
- e) Unless otherwise specifically provided, a building accessory to a Dwelling shall:
  - (i) not be used in whole or in part for a dwelling unit unless it is a permitted dwelling unit in the applicable zoning district of this By-law.
  - ii) not have sanitary facilities above the ground floor unless it is a permitted dwelling unit in the applicable zoning district of this By-law.
  - iii) not have facilities for the preparation of food, unless such facilities are in a permitted Additional Dwelling Unit or are for an activity accessory to a permitted use of a lot.
  - iv) not have a ceiling height or make provision for a ceiling height of greater than 1.8m (71 inches) within the area enclosed by the roof from the bottom of the eaves to the supporting structure or substructure next above.
  - v) the maximum building height of an accessory building shall be 4m (13ft).
  - vi) Notwithstanding other provisions in this by-law to the contrary, when an Additional Dwelling Unit is a permitted use in an accessory building outside of an Area of Settlement, the accessory building having an Additional Dwelling Unit is permitted to have two storeys, provided that the accessory building is not located in whole or in part in a required yard.
  - 8. **That** Subsection 14.1, Residential District 1.1, is hereby deleted and replaced with the following:

By-Law Number 2332 Page 5 of 10

# **Subsection 14.1** Residential District 1.1(R1.1)

|       |   | Low density housi   | ng on urban lot  | CS .                                 |   |
|-------|---|---|--|--------------------------------------|---|
|       |   | a) Permitt  | ed Uses  |                                      |   |
| i.    | Main use  | Single Unit Dwelling, Two Unit Dwelling, Three Unit Dwelling, or One Bed and Breakfast Dwelling   | Semi- Detached Dwelling, or Semi- Detached Dwelling Unit | Lawfully Existing<br>Duplex Dwelling | Lawfully<br>Existing<br>Semi-<br>Detached<br>Dwelling |
| ii.   | Accessory use   | Any   | use accessory  | to the Main Use                      |   |
|       |   | b) Regul  | ations   |                                      |   |
| i.    | Lot Width –<br>Minimum  | 12m (40f)   | 15m (50f)<br>for a Semi-<br>Detached<br>Dwelling         | 18m (60f)                            | 21m (70f)   |
| ii.   | Lot Area –<br>Minimum   | 360m2 (4000f2) for<br>a lot serviced by a<br>sanitary sewer<br>925m2 (10,000f2)<br>for a lot not serviced<br>by a sanitary sewer  | 460m2<br>(5000f2)  | 555m2<br>(6000f2)                    | 650m2<br>(7000f2)                                     |
| iii.  | Lot Coverage –<br>Maximum   | 40% of lot area   | 50% of lot<br>area                                       | 40% of lot area                      | 40% of lot<br>area                                    |
| iv.   | Minimum<br>Landscaped<br>Area in a<br>Required Front<br>Yard          | 30% for a lot having a lot width less than 12m; 40% for a lot of 12m to 15m in lot width; 50% for a lot greater than 15m in lot width.  |  |                                      |   |
| v.    | Building Height<br>– Maximum  | 10m (32f) for a main building 1 storey for an accessory building  |  |                                      |   |
| vi.   | Front Yard<br>Depth –<br>Minimum                                      | 7.5m (25f)  |  |                                      |   |
| vii.  | Rear Yard Depth   | 7.5m  |  |                                      |   |
| viii. | <ul><li>– Minimum</li><li>Side Yard Width</li><li>– Minimum</li></ul> | 1.2m (4f) both sides for an interior side yard where there is an attached garage or carport  1.2m and 3m (10f) for interior side yards (one side/other side) where there is no attached garage or carport  1.2m (4f) for an exterior side yard, except that, where a building wall has a vehicle entrance facing the exterior lot line, the minimum setback from the exterior lot line shall be 6m(20f) |  |                                      |   |

By-Law Number 2332 Page 6 of 10

- ix. Each dwelling shall have storm water and sanitary facilities and electrical and potable water services approved by the Town or other authority having jurisdiction.
- x. No accessory building and combination of accessory buildings shall exceed 70m2 (750f2) and 92m2 (1000f2) respectively.
- xi. Provisions of the following subsections shall apply in whole or in part to lands situated within any of the following restricted areas shown on the Zoning District Maps:
  - 1. Floodplain Development Control Area see subsection 10.6
  - 2. Lake Erie Flood Prone Area see subsection 10.6

# c) Supplementary Regulations: See Sections

7: Definitions 10: Supplementary Building Regulations

8: Supplementary Use Regulations
9: Supplementary Lot Regulations
11: Parking Space Regulations
9: Parking Area Regulations.

9. **That** Subsection 15.1, Residential District 2.1, is hereby replaced with the following:

## **Subsection 15.1** Residential District 2.1(R2.1)

|      | Med  | dium density housing c   | on urban lots  |   |  |
|------|--|--|--|---|--|
|      |  | a) Permitted U   | ses  |   |  |
| i.   | Main use   | Single Unit Dwelling, Two Unit Dwelling, Three Unit Dwelling or One Bed and Breakfast Dwelling   | Semi-Detached<br>Dwelling, or,<br>Semi-Detached<br>Dwelling Unit | Townhome Dwelling with a maximum of three (3) townhome dwelling units |  |
| ii.  | Accessory use  | Any use accessory to the main use  |  |   |  |
|      |  | b) Regulation  | ns   |   |  |
| i.   | Lot Width –<br>Minimum                                 | 12m (40f)  | 15m (50f) for a<br>Semi-Detached<br>Dwelling                     | 21m (70f) for a<br>Townhome<br>Dwelling                               |  |
| ii.  | Lot Area – Minimum                                     | 360m2 (4000f2)   | 460m2 (5000f2)   | 650m2 (7000f2)  |  |
| iii. | Lot Coverage –<br>Maximum                              | 40% of lot area  | 50% of lot area  | 50% of lot area   |  |
| iv.  | Minimum<br>Landscaped Area in a<br>Required Front Yard | 30% for a lot having a lot width less than 12m; 40% for a lot of 12m to 15m in lot width; 50% for a lot greater than 15m in lot width. |  |   |  |
| V.   | Building Height –<br>Maximum                           | 10m for a main building 1 storey for an accessory building   |  |   |  |
| vi.  | Front Yard Depth –<br>Minimum                          | 6m (20f)   |  |   |  |

By-Law Number 2332 Page 7 of 10

| vii.  | Rear Yard Depth –<br>Minimum   | 7.5m (25f)             |   |  |  |
|-------|--|------------------------|---|--|--|
|       |  | 1.2m (4f) both sides   | for an interior side yard where there is an                                       |  |  |
| viii. | Side Yard Width –<br>Minimum   | att                    | ached garage or carport   |  |  |
|       |  | 1.2m and 3m (10f) fo   | r interior side yards (one side/other side)                                       |  |  |
|       |  |                        | is no attached garage or carport  |  |  |
|       |  | 1.2m (4f) for an e     | xterior side yard, except that, where a   |  |  |
|       |  | building wall has a ve | hicle entrance facing the exterior lot line,                                      |  |  |
|       |  | the minimum set        | back from the exterior lot line shall be  |  |  |
|       |  |                        | 6m(20f)   |  |  |
| vii.  | <del>-</del>   |                        | itary facilities and electrical and potable rother authority having jurisdiction. |  |  |
| viii. | No accessory building and and 92m2 (1000f2) respe  |                        | sory buildings shall exceed 70m2 (750f2)  |  |  |
| ix.   | Provisions of the following subsections shall apply in whole or in part to lands situated within any of the following restricted areas shown on the Zoning District Maps |                        |   |  |  |
|       | <ol> <li>Floodplain Development Control Area – see subsection 10.6</li> <li>Lake Erie Flood Prone Area – see subsection 10.6</li> </ol>                                  |                        |   |  |  |
|       | c) Supple  | ementary Regulatio     | ns: See Sections  |  |  |
| 7:    | Definitions  | 10:                    | Supplementary Building Regulations  |  |  |
| 8:    | Supplementary Use Regu   | lations 11:            | Parking Space Regulations   |  |  |
| 9:    | Supplementary Lot Regul  | ations 12:             | Parking Area Regulations.   |  |  |

10. **That** Subsection 16.1, Residential District 3.1, is hereby replaced with the following:

# **Subsection 16.1** Residential District 3.1(R3.1)

|      |                            | High density residential  |   |
|------|----------------------------|---|---|
|      |                            | a) Permitted Uses   |   |
| i.   | Main use                   | Two Unit Dwelling Three Unit Dwelling Bed and Breakfast Dwelling Group Home Lodging House | Multi-Unit Dwelling Residential Care Facility Semi-detached Dwelling Semi-detached Dwelling Unit Townhome Dwelling Townhome Dwelling Unit |
| ii.  | Lawfully existing main use | Single Detached Dwelling  Duplex dwelling   |   |
| iii. | Accessory use              | Any use accessory to the mai  | n use   |

By-Law Number 2332 Page 8 of 10

|       |   | b) Regulations   |
|-------|---|--|
| i.    | Amenity area per<br>multiple dwelling unit -<br>Minimum | Bachelor unit - 7.5m2 (81f2);<br>One-bedroom unit - 10m2 (108f2);<br>Two or more bedroom unit - 15m2 (162F2);  |
| ii.   | Lot Width, multiple<br>dwelling – Minimum               | 18m (60f)  |
| iii.  | Lot Area, multiple<br>dwelling – Minimum                | 555m2 (6000f2) for the first 4 dwelling units, plus 90m2 (970f2) for each additional dwelling unit to a maximum of 105uph (42upa)  For a corner lot having a minimum frontage of 30m (100f) on each exterior lot line, the maximum number of dwelling units may be increased by 25% over that of an interior lot                     |
| iv.   | Lot Coverage –<br>Maximum                               | 35% of lot area  |
| V.    | Building Height –<br>Maximum                            | Main building<br>12m (39f) on an interior lot  |
| V.    | Building Height –<br>Maximum (Con'td)                   | 12m on an exterior lot having an exterior lot line of less than 30m 18m (59f) on an exterior lot where each exterior lot line is a minimum of 30m in length 1 storey for an accessory building   |
| vi.   | Front Yard Depth –<br>Minimum                           | 7.5m (25f)   |
| vii.  | Rear Yard Depth –<br>Minimum                            | 7.5m (25f)   |
| viii. | Side Yard Width –<br>Minimum                            | 6m (20f) where a habitable room window of any dwelling unit faces a side lot line 3m (10f) where a one-way vehicular access area (driveway) abuts the main building wall 6m where a two-way vehicular access area (driveway) abuts the main building wall Equal to 30% of the building height, if none of the provisions above apply |

- ix. Notwithstanding the provisions of this subsection in conflict herewith, a **semi-detached dwelling, townhome dwelling, Two Unit dwelling,** and **Three Unit dwelling** and any use accessory thereto shall conform to the regulations of subsection 15.1, **R2.1 District**, of this by-law, applicable thereto.
- x. Notwithstanding the provisions of this subsection in conflict herewith, a **lodging house** for the accommodation of a maximum of eight (8) persons and a **bed and breakfast dwelling** and any use accessory thereto shall conform to the regulations of subsection 14.1, **R1.1 District**, of this by-law, applicable thereto.
- xi. Provisions of the following subsections shall apply in whole or in part to lands situated within any of the following restricted areas shown on the Zoning District Maps:
  - 1. Floodplain Development Control Area see subsection 10.6

## c) Supplementary Regulations: See Sections

By-Law Number 2332 Page 9 of 10

| 7: | Definitions                   | 10: | Supplementary Building Regulations |
|----|-------------------------------|-----|------------------------------------|
| 8: | Supplementary Use Regulations | 11: | Parking Space Regulations          |
| 9: | Supplementary Lot Regulations | 12: | Parking Area Regulations.          |
|    |                               |     |                                    |

Read a first, a second and a third time and finally passed on June 3, 2024.

| <br>Mayor |  |  |  |
|-----------|--|--|--|
|           |  |  |  |
|           |  |  |  |
| Clerk     |  |  |  |

By-Law Number 2332 Page 10 of 10